



Public Accommodations & Commercial Buildings

14B8

Outdoor and Recreational Uses

PLAN CHECK NUMBER:

OWNER:

GENERAL REQUIREMENTS

1. The following areas shall be accessible:

- ☐ Beaches
- ☐ Picnic areas
- ☐ Parks
- ☐ Playgrounds
- ☐ Vista points
- ☐ Boat docks
- ☐ Fishing piers
- ☐ Campsites per the following:
 - At least three for each 100 campsites provided, but not fewer than two
 - Served by path complying with accessibility correction list 1B or pedestrian ramp complying with accessibility correction list 4B
 - Any permanent sanitary facilities serving campground shall comply with accessibility correction lists 9B and 10B
 - Travel routes from campsites to sanitary facilities shall not exceed 1:12 slope (8.3% gradient)
CBC 1132B.2(1), CBC 1132B.2(2), and CBC 1132B.2(4)

2. Swimming pools shall meet requirements of accessibility correction list 14B¹.
- CBC 1104B.4.3(4)*

3. Any public-use sanitary facilities serving recreational areas shall comply with accessibility correction lists 9B and 10B and be accessible to wheelchair users by automobile, walks, or other paths of travel.
- CBC 1132B.2(3)*

4. Parking lots serving recreational areas shall comply with accessibility correction list 2B and include curb cuts leading to all adjacent walks, path, or trails.
CBC 1132B.2(5)
5. Trails, paths, and nature-walk areas – or portions of these – shall comply with the following:
 - ☐ Constructed with gradients allowing at least partial use by wheelchair occupants
 - ☐ Hard-surface paths or walks provided serving buildings and other functional areas*CBC 1132B.2(6)*
6. Nature trails and similar educational and informational areas shall be accessible to the blind by incorporating the following:
 - ☐ Rope guidelines
 - ☐ Raised Arabic numerals and symbols for identification
 - ☐ Information signs
 - ☐ Related guide and assistance devices*CBC 1132B.2(7)*
7. CBC Chapter 11B accessibility provisions shall apply to the following accessory facilities at parks and recreational areas:
 - ☐ Museums
 - ☐ Orientation buildings
 - ☐ Visitor centers
 - ☐ Office buildings
 - ☐ Retail stores
 - ☐ Restaurants*CBC 1132B.2*

ADDITIONAL REQUIREMENTS

[illegible]

**THIS DOCUMENT IS FOR PLAN REVIEW ONLY.
CORRECTION LIST ITEMS MAY NOT BE REPRODUCED OR COPIED ON PLANS.
PROVIDE COMPLETE DETAILS, DIMENSIONS, AND NOTES TO SATISFY CORRECTION ITEMS.**

5201 RUFFIN ROAD, SUITE B, SAN DIEGO, CA 92123 • (858) 565-5920 • (888) 336-7553

HTTP://WWW.SDCDPLU.ORG